



Retail Pricing  
Pricing subject to change without notice.

### Conference Phones - Realpresence Trio 8800 Hardware

Model	Description
Trio 8800 Order SKU #220066070001\Model Name #Trio 8800	Poly Trio 8800 IP conference phone with built-in Wi-Fi, Bluetooth and NFC. Power over Ethernet. Includes 7.6m/25ft Ethernet cable, 1.8m/6ft USB 2.0 cable and setup sheet. POWER KIT NOT INCLUDED.

### VoIP Phone - Realpresence Trio 8500 Hardware

Model	Description
Trio 8500 Order SKU #220066700025\Model Name #Trio 8500	Poly Trio 8500 openSIP conference phone, built-in Bluetooth, Power over Ethernet. Includes: 7.6m/25ft Ethernet cable and Setup Sheet. CHINA: Incl. 3 yr Partner Premier. POWER KIT NOT INCLUDED

### Polycom Studio - Polycom Studio Hardware

Model	Description
2200-86270-001\Model Name #M105088500	POLY STUDIO X50 & TC8; 4K Video Conf/Collab/Wireless Pres Sys:Touch Cntrl,4K 5x EPTZ auto-track Cam,Codec,Stereo Spkrphone,Wall Mount Kit;Cables:2 HDMI 1.83m,1 CAT5E LAN 4.57m;NTSC/PAL;Pwr: Amer-Type B,NEMA 5-15.Optional Srvc sold separately.
2200-85970-001\Model Name #M105088400	POLY STUDIO X50 4K Video Conf/Collab/Wireless Pres Sys:4K 5x EPTZ auto-track Cam,Codec,Stereo Spkrphone,Wall Mount Kit;Cables:2 HDMI 1.83m,1 CAT5E LAN 4.57m;NTSC/PAL;Pwr: Amer-Type B,NEMA 5-15.Optional Srvc sold separately.
2200-86260-001\Model Name #M105088300	POLY STUDIO X30 & TC8; 4K Video Conf/Collab/Wireless Pres Sys:Touch Cntrl,4K 4x EPTZ auto-track Cam,Codec,Stereo Spkrphone,Monitor Clamp Kit;Cables:1 HDMI 1.83m,1 CAT5E LAN 4.57m;NTSC/PAL;Pwr:Amer-Type B,NEMA 5-15.Optional Srvc sold separately.
2200-85980-001\Model Name #M105088200	POLY STUDIO X30 4K Video Conf/Collab/Wireless Pres Sys:4K 4x EPTZ auto-track Cam,Codec,Stereo Spkrphone,Monitor Clamp Kit;Cables:1 HDMI 1.83m,1 CAT5E LAN 4.57m;NTSC/PAL;Power:Amer-Type B,NEMA 5-15.Optional Srvc sold separately.

### RealPresence Trio - Realpresence Trio 8300 Accessories

Model	Description
2200-66840-001\Model Name #M104982200	Power Kit for Poly Trio 8300 and Poly EagleEye Cube USB. Incl. 100-240V, 0.8A, 56V/15.4W, IEEE 802.3af compliant mid-span power injector for 10/100/1000 Mbps Ethernet. Ships with 1.8m/6ft power cord with NA plug and 2.1m/7ft Ethernet cable.

### G7500 - G7500 Accessories

Model	Description
2201-52885-001\Model Name #M104895600	Poly Bluetooth Remote Control, 2 AAA batteries included. Compatible with Poly G7500 and Studio X family.
2200-85920-001\Model Name #M104895800	Poly Wall Mount Set: Allows wall mounting of video codec. Includes Mount kit, wall anchor kit, and screw kit. Works with Poly G7500 codec.
2200-85250-001\Model Name #M104980000	Poly IP Table Microphone Array: Contains one Microphone Array and one 25' CAT 5E SHLD Ethernet cable. Compatible with Poly G7500 codec.

### Polycom Studio - Polycom Studio Accessories

Model	Description
2200-69631-001\Model Name #M104852000	Polycom Expansion Microphone: Contains one analog Microphone Array and one 7.6m/25' RJ11 connection type cable. Compatible with Poly Studio X50 (w/out Trio/C60), Poly Studio USB and RP Debut.
2201-52889-001\Model Name #M104857900	Polycom Studio BT remote control, for use with the Polycom Studio only. Includes 2 AAA batteries.

Starin is your Supply Partner. To place your order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)



Pricing subject to change without notice.

### Warranty & Service Plans - Maintenance Services

Model	Description
4870-69424-160	Partner Premier, One Year, EagleEye Director II.

### G7500-Maintenance Services - Maintenance Services

Model	Description
4870-85760-112\Model Name #M104889200	Premier, One Year, Poly G7500 4k CODEC-Wireless Presentation System, Eagle Eye IV-12x camera
4870-85740-112\Model Name #M104892000	Premier, One Year, Poly G7500 4k CODEC-Wireless Presentation System, Eagle Eye IV-4x camera
4870-86545-112\Model Name #M105131400	Premier, One Year, Poly G7500 4k Codec&Wireless PRES Sys,Touch Cntrl,EE Cube USB 4K 5x cam,IP Mic,remote
4870-85870-112\Model Name #M104886400	Premier, One Year, Poly G7500 4k CODEC-Wireless Presentation System, EagleEye Cube USB 5x EPTZ auto track camera
4870-86555-112\Model Name #M105134300	Premier, One Year, Poly G7500 4k Codec-Wireless PRES Sys,Touch Cntrl,EEIV-12x cam,mic,remote.
4870-86550-112\Model Name #M105137200	Premier, One Year, Poly G7500 4k Codec-Wireless PRES Sys,Touch Cntrl,EEIV-4x cam,mic,remote.

### Poly Studio X-Maintenance Services - Maintenance Services

Model	Description
4877-85980-513\Model Name #M105091200	Polycom Advantage, One Year,Poly Studio X30
4877-85970-513\Model Name #M105094300	Polycom Advantage, One Year,Poly Studio X50
4877-86260-513\Model Name #M105105200	Polycom Advantage, One Year,Poly Studio X30,Poly TC8
4877-86270-513\Model Name #M105108300	Polycom Advantage, One Year,Poly Studio X50,Poly TC8
4877-85980-716\Model Name #M105090600	Partner Advantage, One Year,Poly Studio X30
4877-85970-716\Model Name #M105093700	Partner Advantage, One Year,Poly Studio X50
4877-86260-716\Model Name #M105104600	Partner Advantage, One Year,Poly Studio X30,Poly TC8
4877-86270-716\Model Name #M105107700	Partner Advantage, One Year,Poly Studio X50,Poly TC8
4870-85980-112\Model Name #M105091500	Premier, One Year,Poly Studio X30
4870-85970-112\Model Name #M105094600	Premier, One Year,Poly Studio X50
4870-86260-112\Model Name #M105105500	Premier, One Year,Poly Studio X30,Poly TC8
4870-86270-112\Model Name #M105108600	Premier, One Year,Poly Studio X50,Poly TC8

### Polycom Studio-Maintenance Services - Maintenance Services

Model	Description
4877-85830-513\Model Name #M104844500	Polycom Advantage, One Year, Polycom Studio: A/V USB Soundbar, autotrack 120 FOV 4K Cam, USB stereo, BT spkrphones, remote, and WiFi device management
4877-85830-716\Model Name #M104843900	Partner Advantage, One Year, Polycom Studio: A/V USB Soundbar, autotrack 120 FOV 4K Cam, USB stereo, BT spkrphones, remote, and WiFi device management

Starin is your Supply Partner. To place you order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)



Pricing subject to change without notice.

Model	Description
4870-85830-112\Model Name #M104844800	Premier, One Year, Polycom Studio: A/V USB Soundbar, autotrack 120 FOV 4K Cam, USB stereo, BT spkrphones, remote, and WiFi device management

### CORE OCC CORDED - OCC CORDED ACCESSORIES

Model	Description
6230-86535-001	Pre-configured for Zoom:Poly G7500 4k Codec-Wireless Pres Sys,EEIV-12x cam,mic,remote,2 HDMI 1.8m,1 CAT 5E LAN 3.6m, 1 CAT 5E SHLD 25ft,1 HDCI 6ft,1 HDCI Mini 3m;Pwr:Amer-Type BNEMA 5-15.Maintenance Contract Required.Call Disty for Pricing
6230-86545-001	Pre-configured for Zoom:Poly G7500 4k Codec&Wireless Pres Sys,Touch Cntrl,EE Cube USB 4K 5x cam,IP Mic,remote;Cables:2 HDMI 1.8m,1 CAT 5E LAN 3.6m,1 CAT 5E SHLD 25ft,Pwr:Amer-Type B, NEMA 5-15. Maintenance Contract Required.Call Disty for Pricing

### Camera Systems - Realpresence Trio 8800 Accessories

Model	Description
7200-23490-001\Model Name #M103752400	Power Kit for Poly Trio 8800 and Trio Visual+. Incl. 100-240V, 0.8A, 55V/36W, IEEE 802.3at compliant mid-span power injector for 10/100/1000 Mbps Ethernet. Ships with 2.7m/9ft power cord with NA plug and 2.1m/7ft Ethernet cable.

### G7500 - G7500 Hardware

Model	Description
7200-85760-001\Model Name #M104895000	Poly G7500 4k Codec-Wireless Presentation System, Eagle Eye IV-12x cam, IP Mic,remote,NTSC/PAL; Cables: 2 HDMI 1.8m, 1 CAT 5E LAN 3.6m, 1 CAT 5E SHLD 25ft, 1 HDCI 6ft, 1 HDCI Mini 3m, Power: Amer - Type B, NEMA 5-15. Maintenance Contract Required
7200-85740-001\Model Name #M104895100	Poly G7500 4k Codec-Wireless Presentation System, Eagle Eye IV-4x cam, IP Mic, remote; NTSC/PAL;Cables: 2 HDMI 1.8m, 1 CAT 5E LAN 3.6m, 1 CAT 5E SHLD 25ft, 1 HDCI 6ft, 1 HDCI Mini 3m, Power: Amer - Type B, NEMA 5-15. Maintenance Contract Required

### Camera Systems - Polycom Studio Hardware

Model	Description
7200-85830-001\Model Name #M104842800	Polycom Studio: Audio/Video USB Soundbar, with auto-track 120-deg FOV 4K Camera, USB stereo speakerphone, BT speakerphone, Wi-Fi device management, remote, Cable: 5m USB Type-A to Type-C, Power: AMER-Type B, NEMA 5-15

### Camera Systems - MSR Accessories

Model	Description
Eagle Eye IV USB Order SKU #723060896001\Model Name #Eagle Eye IV USB	EagleEye IV USB camera: Compatible with Trio 8800/8500 Visual+ Collaboration Kit and other ecosystems. 12x zoom with USB2.0 interface, 1 remote, 1 USB 2.0 5m cable, power supply & NA power cord.

### RP Group - Group Series Accessories

Model	Description
7230-61960-001\Model Name #M104863900	EagleEye Cube HDCI Camera for Group 310/500,Trio VisualPro.Electronic Pan Tilt 5x Digital zoom.Embedded stereo microphones.Single built-in HDCI 1.8m cable(Incl:power,Comm,HDMI,audio)

### Camera Systems - G7500 Accessories

Model	Description
EagleEye Cube Order SKU #723063695001\Model Name #EagleEye Cube	EagleEye Cube USB Camera: Compatible with Trio Visual+ and other ecosystems.Electronic Pan Tilt 5x Digital Zoom.Embedded stereo microphones.Cable:2m USB Type-A and Type-C,2m Ethernet cable.

Starin is your Supply Partner. To place you order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)



Pricing subject to change without notice.

### Camera Systems - Group Series Accessories

Model	Description
EagleEye Director II Order SKU #723069420001\Model Name #EagleEye Director II	EagleEye Director II with 2-EagleEye IV-12x cameras,pwr supply,NA pwr cord.Interworking with RP Group series systems requires:HDCI input on codec,Group series systems software v6.1 or later.Work as a USB camera system need SW 1.1 or later.Mnt Cnt Reqd.
EagleEye Director II Order SKU #723069424001\Model Name #EagleEye Director II	EagleEye Director II base, power supply,NA power cord.Interworking with RP Group series systems requires: HDCI input on codec, RP Group series systems sw v6.1 or later.Work as a USB camera system need SW 1.1 or later.Mnt Cnt Reqd.
EagleEye IV Order SKU #820064350001\Model Name #EagleEye IV	EagleEye IV-12x Camera with Polycom 2012 logo, 12x zoom, silver and black, MPTZ-10. Compatible with RealPresence Group Series software 4.1.3 and later. Includes 3m HDCI digital cable.

### VoIP Phone - VVX 150 Hardware

Model	Description
VVX 150 Order SKU #220048810025\Model Name #VVX 150	VVX 150 2-line Desktop Business IP Phone with dual 10/100 Ethernet ports. PoE only. Ships without power supply. 3 year partner premier service is included for China

### VoIP Phone - VVX 250 Hardware

Model	Description
VVX 250 Order SKU #220048820025\Model Name #VVX 250	VVX 250 4-line Desktop Business IP Phone with dual 10/100/1000 Ethernet ports. PoE only. Ships without power supply. 3 year partner premier service is included for China.

### VoIP Phone - VVX 350 Hardware

Model	Description
VVX 350 Order SKU #220048830025\Model Name #VVX 350	VVX 350 6-line Desktop Business IP Phone with dual 10/100/1000 Ethernet ports. PoE only. Ships without power supply. 3 year partner premier service is included for China.

### VoIP Phone - VVX 450 Hardware

Model	Description
VVX 450 Order SKU #220048840025\Model Name #VVX 450	VVX 450 12-line Desktop Business IP Phone with dual 10/100/1000 Ethernet ports. PoE only. Ships without power supply. 3 year partner premier service is included for China.

### VoIP Phone - VVX 600 Hardware

Model	Description
VVX 601 Order SKU #220048600025\Model Name #VVX 601	VVX 601 16-line Business Media Phone with built-in Bluetooth and HD Voice. Compatible Partner platforms: 20. POE. Ships without power supply.

Starin is your Supply Partner. To place you order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)



Pricing subject to change without notice.

### Polycom Studio - Polycom Studio Accessories

Model	Description
1465-52891-060\Model Name #M104857700	External Level VI Power Supply for the Polycom Studio. 12v/5A, Positive center pole. Order power cord separately C13 to country specific.

### UC OCC CORDED - OCC CORDED PHONES - UC

Model	Description
210900-01\Model Name #C3200-M USB-A - UC	CALISTO 3200,USB-A

### Polycom Studio - For Zoom

Model	Description
6230-86480-001	Pre-configured for Zoom:POLY STUDIO X30 4K Video Conf/Collab/Wireless Pres Sys,4K 4x Cam,Codec,Spkrphone,Monitor Clamp;Cables:1 HDMI 1.83m,1 CAT5E LAN 4.57m;Pwr:Amer-Type B,NEMA 5-15.Optional Srvc sold separately.Call Disty for Pricing
6230-86490-001	Pre-configured for Zoom:POLY STUDIO X30&TC8 4K Video Conf/Collab/Wireless Pres Sys:Touch Cntrl,4K 4x Cam,Codec,Spkrphone,Monitor Clamp;Cables:1 HDMI 1.83m,1 CAT5E LAN 4.57m;Pwr:Amer-Type B,NEMA 5-15.Optional Srvc sold separately.Call Disty for Pricing
6230-86500-001	Pre-configured for Zoom:POLY STUDIO X50 4K Video Conf/Collab/Wireless Pres Sys:4K 5x Cam,Codec,Spkrphone,Wall Mount;Cables:2HDMI 1.83m,1CAT5E LAN 4.57m;NTSC/PAL;Pwr: Amer-Type B,NEMA 5-15.Optional Srvc sold separately.Call Disty for Pricing
6230-86510-001	Pre-configured for Zoom:POLY STUDIO X50&TC8;4K Video Conf/Collab/Wireless Pres Sys:Touch Cntrl,4K 5x Cam,Codec,Spkrphone,Wall Mount;Cables:2 HDMI 1.83M,1CAT5E LAN 4.57m;Pwr: Amer-Type B,NEMA 5-15.Optional Srvc sold separately.Call Disty for Pricing

-

Model	Description
6230-86520-001	Pre-configured for Zoom:Poly G7500 4k Base Unit: G7500 4k Video Codec & Wireless Presentation Sys,BT remote,Cable: 1 CAT 5E LAN 3.6m,Pwr: Amer - Type B, NEMA 5-15.Maintenance Contract Required.Call Distributor for Pricing.
6230-86530-001	Pre-configured for Zoom:Poly G7500 4k Codec-Wireless Pres Sys,EEIV-4x cam,mic,remote::2 HDMI 1.8m,1 CAT 5E LAN 3.6m, 1 CAT 5E SHLD 25ft,1 HDCI 6ft,1 HDCI Mini 3m;Pwr:Amer-Type BNEMA 5-15.Maintenance Contract Required.Call Disty for Pricing
6230-86540-001	Pre-configured for Zoom:Poly G7500 4k Base Unit & TC8:G7500 4k Video Codec & Wireless Presentation Sys,Touch Cntrl,BT remote,Cable:1 CAT 5E LAN 3.6m. Pwr: Amer-Type B, NEMA 5-15.Maintenance Contract Required.Call Distributor for Pricing.
6230-86525-001	Pre-configured for Zoom:Poly G7500 4k Codec-Wireless Pres Sys, EagleEye Cube USB 5x cam, IP Mic, remote; Cables: 2 HDMI 1.8m, 1 CAT 5E LAN 3.6m, 1 CAT 5E SHLD 25ft, Power: Amer - Type B, NEMA 5-15. Maintenance Contract Required.Call Disty for Pricing
6230-86550-001	Pre-configured for Zoom:Poly G7500 4k Codec-Wireless Pres Sys,Touch Cntrl,EEIV-4x cam,mic,remote::2 HDMI 1.8m,1 CAT5E LAN 3.6m,1 CAT5E SHLD 25ft,1 HDCI 6ft,1 HDCI Mini 3m;Pwr:Amer-Type BNEMA 5-15.Maintenance Contract Required.Call Disty for Pricing
6230-86555-001	Pre-configured for Zoom:Poly G7500 4k Codec-Wireless Pres Sys,Touch Cntrl,EEIV-12x cam,mic,remote,2 HDMI 1.8m,1 CAT5E LAN 3.6m,1 CAT5E SHLD 25ft,1 HDCI 6ft,1 HDCI Mini 3m;Pwr:Amer-Type BNEMA 5-15.Maintenance Contract Required.Call Disty for Pricing

Starin is your Supply Partner. To place your order, please go to [www.starin.biz](http://www.starin.biz) or email your PO to [orders@starin.biz](mailto:orders@starin.biz)

Starin | 136 Venturi Drive | Chesterton, IN 46304 | P 219-929-4127 | F 219-929-4377 | W: [www.starin.biz](http://www.starin.biz)